

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	168	dynamic with (group management) and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/29 10:42
L2	9	L1 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/29 10:42
L3	13	group with (communication adj interest)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/29 10:42
L4	1	L3 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:42
L5	21	("4578815"   "5058199"   "5327573").PN. OR ("5535426").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/29 10:42
L6	0	L5 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:42
L8	126	network near3 (topology or (map or mapping)) near3 characteristic and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:42
L9	5	L8 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:42
L10	2	mapping near3 network near3 resources near3 characteristics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:42
L11	0	L10 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:42

L12	81	mapping near3 network near3 resources and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L13	5	L12 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L14	5	(mapping near3 network near3 resources) with (characteristics or attributes) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L15	0	L14 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L16	218	(network adj (topology or map)) with (characteristic or attribute) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L17	12	L16 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L18	27	(network adj (topology or map)) with ((characteristic or attribute) near3 (device or resource)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L19	3	L18 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L20	169	(create or generate) near3 (network adj (topology or map)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L21	2	L20 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43

L22	19	(data near3 distribution near3 management) with (preferences or attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L23	0	L22 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L24	131	(topology or map\$3) near3 (network (characteristic or attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/29 10:43
L25	5	L24 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L26	33	(topology or map\$3) near3 (network (characteristic or attribute)) and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/29 10:43
L27	2	L26 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L28	61790	network with (mapping or topology)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L29	14658	partition with application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L30	11294	group with user with (characteristic or attribute or interest)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L31	26	L28 and L29 and L30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43

L32	0	L31 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L33	2	mapping near3 network near3 resources near3 characteristics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L34	0	L33 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L35	5	(mapping near3 network near3 resources) with (characteristics or attributes) and "709"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L36	0	L35 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L37	27	(network adj (topology or map)) with ((characteristic or attribute) near3 (device or resource)) and "709"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L38	3	L37 and @pd> "20091124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 10:43
L44	0	(identif\$3 near3 application near3 space). clm.	US-PGPUB	OR	ON	2010/01/29 12:54
L46	10	(identify near3 (client near3 (associat\$3 or interest))near3 application).clm.	US-PGPUB	OR	ON	2010/01/29 12:59
L47	0	(identify near3 network near3 (client near3 application) near3 (network near3 (resource and characteristics))).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/29 12:59
L49	0	(network near3 level near3 characteristic) near3 (fanout or delay or (forwarding capacity)). clm.	US-PGPUB	OR	ON	2010/01/29 13:01

L50	0	((partitioning near3 application near3 space) near3 (communication near3 interest) near3 client).clm.	US-PGPUB	OR	ON	2010/01/29 13:02
L51	0	(index\$3 near3 partition near3 (network near3 map) near3 index near3 (client near3 group\$3)).clm.	US-PGPUB	OR	ON	2010/01/29 13:03
L52	0	(grouping near3 client) near3 (index near3 (interest near3 attribute)).clm.	US-PGPUB	OR	ON	2010/01/29 13:04
L53	4	((form\$3 near3 hierarchical) near3 ((parent or control) near3 node)).clm.	US-PGPUB	OR	ON	2010/01/29 13:06
L57	2	((hierarchical near3 structure) near3 ((attribute index) or (client group\$3))).clm.	US-PGPUB	ADJ	ON	2010/01/29 13:08
L58	0	((communication near3 overlay) near3 (direct near3 communication) near3 (client near3 application)).clm.	US-PGPUB	ADJ	ON	2010/01/29 13:09
L59	2	((membership list) near3 client) near3 (communication near3 interest near3 partition)).clm.	US-PGPUB	ADJ	ON	2010/01/29 13:10
L60	2	((membership list) near3 map\$3 near3 group near3 (enabl\$3 near3 communication)).clm.	US-PGPUB	ADJ	ON	2010/01/29 13:11
S1	1406	709/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 13:47
S2	16	(george and popescu).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 13:47
S3	294	(zhen and liu).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 13:48

S4	29	(sambit and sahu).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 13:48
S5	76445	(International and business and machines). as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 13:48
S6	174	(International and business and machines). as. and 709/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 13:49
S7	1	10/723227	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 13:49
S8	4	"6792430".pn. OR "6223212".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 13:50
S9	46548	network with (mapping or topology)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 15:45
S10	12162	partition with application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 15:45
S11	8095	group with user with (characteristic or attribute or interest)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 15:46
S12	21	S9 and S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 15:46
S13	0	("2005/0114478").URPN.	USPAT	OR	ON	2008/06/03 15:47
S14	6282	group with user with (characteristic or attribute or interest) and communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 15:49

S15	4415936	group management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 15:49
S16	5174	group management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 15:50
S17	3311	(group management) and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 15:50
S18	109	dynamic with (group management) and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 15:50
S19	36	("5036518"   "5109384"   "5592552"   "5748736"   "5831975"   "6049878"). PN. OR ("6240188"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/03 15:53
S20	18	US-5828843-\$.DID. OR US- 20040068667-\$.DID. OR US-6078946-\$.DID. OR US- 20050010571-\$.DID. OR US-20050076137-\$.DID. OR US-6192401-\$.DID. OR US-20040117226-\$. DID. OR US-6907436-\$. DID. OR US-20030097438- \$.DID. OR US- 20040181607-\$.DID. OR US-6272539-\$.DID. OR US- 20050038909-\$.DID. OR US-6909700-\$.DID. OR US- 20050066033-\$.DID. OR US-7203729-\$.DID. OR US- 20030217128-\$.DID. OR US-20030101278-\$.DID. OR US-20010047477-\$. DID.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/03 16:02
S21	9	group with (communication adj interest)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/04 10:18
S22	21	("4578815"   "5058199"   "5327573").PN. OR ("5535426").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/04 10:21

S23	8	US-2006005163-\$.did. OR US-6856991-\$.DID. OR US- 6910069-\$.DID. OR US- 6920497-\$.DID. OR US- 20050083848-\$.DID. OR US-20050201405-\$.DID. OR US-20050243722-\$. DID. OR US-20050281204- \$.DID. OR US- 20070263553-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/04 10:24
S24	5	US-6487600-\$.DID. OR US- 6104705-\$.DID. OR US- 6791949-\$.DID. OR US- 6105066-\$.DID. OR US- 5831975-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/04 10:51
S25	1	"6097942".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/04 14:45
S26	1	"5774689".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/04 14:51
S27	4	"6301109".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/05 09:44
S28	462	network near3 (topology or (map or mapping)) near3 characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:23
S29	106	network near3 (topology or (map or mapping)) near3 characteristic and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:24
S30	2	mapping near3 network near3 resources near3 characteristics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:30
S31	257	mapping near3 network near3 resources	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:31
S32	73	mapping near3 network near3 resources and "709"/ \$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:31



S33	5	(mapping near3 network near3 resources) with (characteristics or attributes) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:39
S34	25407	(network adj (topology or map))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:40
S35	5132	(network adj (topology or map)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:40
S36	183	(network adj (topology or map)) with (characteristic or attribute) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:40
S37	21	(network adj (topology or map)) with ((characteristic or attribute) near3 (device or resource)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:41
S38	1102	(create or generate) with (network adj (topology or map))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:43
S39	290	(create or generate) with (network adj (topology or map)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:43
S40	148	(create or generate) near3 (network adj (topology or map)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:43
S41	0	(create or generate) near3 (network adj (topology or map)) with (characteristic or attribute or metadata) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:44
S42	0	(create or generate) near3 (network adj (topology or map)) with (characteristic or attribute) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:44

S43	2	"5758072".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 13:17
S44	1206	(data near3 distribution near3 management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 14:17
S45	17	(data near3 distribution near3 management) with (preferences or attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 14:17
S46	1	("2005/0114478").URPN.	USPAT	ADJ	ON	2009/04/08 14:24
S47	126	(topology or map\$3) near3 (network (characteristic or attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/19 14:22
S48	2	"6477572".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/19 14:53
S49	31	(topology or map\$3) near3 (network (characteristic or attribute)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/19 15:13
S50	59860	network with (mapping or topology)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/19 15:14
S51	14359	partition with application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/19 15:14
S52	10895	group with user with (characteristic or attribute or interest)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/19 15:14
S53	26	S50 and S51 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/19 15:14

S54	2	mapping near3 network near3 resources near3 characteristics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/19 15:15
S55	5	(mapping near3 network near3 resources) with (characteristics or attributes) and "709"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/19 15:15
S56	1	S53 and @pd> "20090713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/19 15:16
S57	0	S54 and @pd> "20090713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/19 15:16
S58	0	S55 and @pd> "20090713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/19 15:16
S59	896	"s37" and @pd> "20090713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/19 15:16
S60	24	(network adj (topology or map)) with ((characteristic or attribute) near3 (device or resource)) and "709"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/19 15:17
S61	1	S60 and @pd> "20090713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/19 15:17
S62	2	"6108702".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/19 15:24

**EAST Search History (Interference)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp

L61	0	(indentif\$3 near3 application near3 space).clm. and (370/255 or 455/519 or 709/220 or 709/223 or 709/224 or 709/225 or 709/228 or 709/229 or 709/238 or 709/240).ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/29 13:15
L62	2	(identify near3 (client near3 (associat\$3 or interest)) near3 application).clm. and (370/255 or 455/519 or 709/220 or 709/223 or 709/224 or 709/225 or 709/228 or 709/229 or 709/238 or 709/240).ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/29 13:15
L63	0	(identify near3 network near3 (client near3 application) near3 (network near3 (resource and characteristics))).clm. and (370/255 or 455/519 or 709/220 or 709/223 or 709/224 or 709/225 or 709/228 or 709/229 or 709/238 or 709/240).ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/29 13:15
L64	1	(network near3 level near3 characteristic) near3 (fanout or delay or (forwarding capacity)).clm. and (370/255 or 455/519 or 709/220 or 709/223 or 709/224 or 709/225 or 709/228 or 709/229 or 709/238 or 709/240).ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/29 13:15
L65	0	((partitioning near3 applicantion near3 space) near3 (communication near3 interest) near3 client).clm. and (370/255 or 455/519 or 709/220 or 709/223 or 709/224 or 709/225 or 709/228 or 709/229 or 709/238 or 709/240).ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/29 13:15
L66	0	(index\$3 near3 partition near3 (network near3 map) near3 index near3 (client near3 group\$3)).clm. and (370/255 or 455/519 or 709/220 or 709/223 or 709/224 or 709/225 or 709/228 or 709/229 or 709/238 or 709/240).ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/29 13:15

L67	0	(grouping near3 client) near3 (index near3 (interest near3 attribute)).clm. and (370/255 or 455/519 or 709/220 or 709/223 or 709/224 or 709/225 or 709/228 or 709/229 or 709/238 or 709/240).ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/29 13:15
L68	1	((form\$3 near3 hierarchical) near3 ((parent or control) near3 node)).clm. and (370/255 or 455/519 or 709/220 or 709/223 or 709/224 or 709/225 or 709/228 or 709/229 or 709/238 or 709/240).ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/29 13:15
L69	1	((hierarchical near3 structure) near3 ((attribute index) or (client group\$3))).clm. and (370/255 or 455/519 or 709/220 or 709/223 or 709/224 or 709/225 or 709/228 or 709/229 or 709/238 or 709/240).ccls.	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/01/29 13:15
L70	0	((communication near3 overlay) near3 (direct near3 communication) near3 (client near3 application)).clm. and (370/255 or 455/519 or 709/220 or 709/223 or 709/224 or 709/225 or 709/228 or 709/229 or 709/238 or 709/240).ccls.	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/01/29 13:15
L71	1	((membership list) near3 client) near3 (communication near3 interest near3 partition)).clm. and (370/255 or 455/519 or 709/220 or 709/223 or 709/224 or 709/225 or 709/228 or 709/229 or 709/238 or 709/240).ccls.	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/01/29 13:15
L72	1	((membership list) near3 map \$3 near3 group near3 (enabl \$3 near3 communication)).clm. and (370/255 or 455/519 or 709/220 or 709/223 or 709/224 or 709/225 or 709/228 or 709/229 or 709/238 or 709/240).ccls.	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/01/29 13:15

1/ 29/ 2010 1:19:02 PM

C:\Documents and Settings\dmurray\My Documents\EAST\Workspaces\10723227.wsp